

GRACELAND CEMETERY

<u>BLOCK</u>	<u>TYPE OF HEADSTONE ALLOWED</u>
1	16" Slant, 4" Bevel, or Flush
2	16" Slant, 4" Bevel, or Flush
4	4" Bevel or Flush
5	4" Bevel or Flush
6	16" Slant, 4" Bevel, or Flush
7	GRANITE ONLY – FLUSH (WWI)
8	16" Slant, 4" Bevel, or Flush
BABYLAND.....	4" Bevel or Flush and size cannot exceed 16" X 10"
9	16" Slant, 4" Bevel, or Flush
10	16" Slant, 4" Bevel, or Flush
11	16" Slant, 4" Bevel, or Flush
12	16" Slant or Flush
14N	Flush Only
14S	16" Slant, 4" Bevel, or Flush
15	FLUSH (G.I. Section)
17	16" Slant, 4" Bevel, or Flush
18	Flush Only
19	4" Bevel or Flush
20	4" Bevel or Flush
21	16" Slant, 4" Bevel, or Flush
22	Flush Only

MOUND CEMETERY HEADSTONES

Headstones and monuments of various shapes and designs are allowed in Mound Cemetery. Persons wishing to place a headstone or monument in Mound Cemetery must first discuss the size and shape of the headstone with the Cemetery Management Staff. It is the responsibility of the purchaser to contact the cemetery office for written permission to place the headstone on the desired grave.

MONUMENTS: In either cemetery monuments are only allowed on the head end of a 5 or 10 side-by-side grave lot and must be pre-approved by the Cemetery Supervisor.

NOTE: ALL second headstones must be flush with the ground

Signature: _____

Date: _____